

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

| Map symbol and soil name | Pct. of map unit | Septic tank absorption fields | | Sewage lagoons | |
|-----------------------------|---------------------------|--|------------------|--|----------------------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Be: Brenton----- | 90 | Very limited Depth to saturated zone Restricted permeability | 1.00 0.46 | Very limited Depth to saturated zone Seepage | 1.00 0.53 |
| CbA: Camden Variant----- | 100 | Somewhat limited Restricted permeability | 0.46 | Somewhat limited Seepage | 0.53 |
| Ce: Ceresco----- | 90 | Very limited Flooding Depth to saturated zone | 1.00 1.00 | Very limited Flooding Depth to saturated zone Seepage | 1.00 1.00 1.00 |
| Cy: Cyclone----- | 100 | Very limited Depth to saturated zone Restricted permeability | 1.00 1.00 | Very limited Depth to saturated zone Seepage | 1.00 0.53 |
| DaA: Dana----- | 90 | Very limited Restricted permeability Depth to saturated zone | 1.00 1.00 | Somewhat limited Depth to saturated zone Seepage | 0.56 0.53 |
| DaB: Dana----- | 90 | Very limited Restricted permeability Depth to saturated zone | 1.00 1.00 | Somewhat limited Depth to saturated zone Seepage Slope | 0.56 0.53 0.09 |

| | | | | | |
|--------------|-----|----------------|------|----------------|------|
| Dr: | | | | | |
| Drummer----- | 100 | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | |
| | | Restricted | 0.46 | Seepage | 0.53 |
| | | permeability | | | |

Table ENG-5.--Sanitary Facilities---Continued

| Map symbol and soil name | Pct. of map unit | Septic tank absorption fields | | Sewage lagoons | |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value |
| FcA: | | | | | |
| Fincastle----- | 90 | Very limited | | Somewhat limited | |
| | | Restricted | 1.00 | Seepage | 0.53 |
| | | permeability | | | |
| | | Depth to | 1.00 | | |
| | | saturated zone | | | |
| FdA: | | | | | |
| Fincastle----- | 55 | Very limited | | Somewhat limited | |
| | | Restricted | 1.00 | Seepage | 0.53 |
| | | permeability | | | |
| | | Depth to | 1.00 | Slope | 0.01 |
| | | saturated zone | | | |
| Crosby----- | 35 | Very limited | | Somewhat limited | |
| | | Restricted | 1.00 | Slope | 0.01 |
| | | permeability | | | |
| | | Depth to | 1.00 | | |
| | | saturated zone | | | |
| FsB: | | | | | |
| Fox----- | 100 | Very limited | | Very limited | |
| | | Filtering | 1.00 | Seepage | 1.00 |
| | | capacity | | | |
| | | Restricted | 0.46 | Slope | 0.09 |
| | | permeability | | | |
| FsC: | | | | | |
| Fox----- | 100 | Very limited | | Very limited | |
| | | Filtering | 1.00 | Seepage | 1.00 |
| | | capacity | | | |
| | | Slope | 0.84 | Slope | 1.00 |
| | | Restricted | 0.46 | | |
| | | permeability | | | |
| Gn: | | | | | |
| Genesee----- | 100 | Very limited | | Very limited | |
| | | Flooding | 1.00 | Flooding | 1.00 |
| | | Filtering | 1.00 | Seepage | 1.00 |
| | | capacity | | | |
| | | Restricted | 0.46 | | |
| | | permeability | | | |

| | | | | | |
|---------------|-----|-------------------------|------|----------------|------|
| HeF: | | | | | |
| Hennepin----- | 100 | Very limited | | Very limited | |
| | | Slope | 1.00 | Slope | 1.00 |
| | | Restricted permeability | 1.00 | | |
| Ho: | | | | | |
| Houghton----- | 100 | Very limited | | Very limited | |
| | | Depth to | 1.00 | Content of | 1.00 |
| | | saturated zone | | organic matter | |
| | | Subsidence | 1.00 | Depth to | 1.00 |
| | | | | saturated zone | |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Septic tank absorption fields | | Sewage lagoons | |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value |
| La: | | | | | |
| Landes----- | 100 | Very limited | | Very limited | |
| | | Flooding | 1.00 | Flooding | 1.00 |
| | | Filtering capacity | 1.00 | Seepage | 1.00 |
| | | Depth to saturated zone | 0.40 | | |
| Ma: | | | | | |
| Mahalasville----- | 100 | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Seepage | 1.00 |
| | | Restricted permeability | 0.46 | Depth to saturated zone | 1.00 |
| McA: | | | | | |
| Martinsville----- | 100 | Somewhat limited | | Very limited | |
| | | Restricted permeability | 0.46 | Seepage | 1.00 |
| McB2: | | | | | |
| Martinsville----- | 100 | Somewhat limited | | Very limited | |
| | | Restricted permeability | 0.46 | Seepage | 1.00 |
| | | | | Slope | 0.33 |
| MnC: | | | | | |
| Miami----- | 100 | Very limited | | Very limited | |
| | | Restricted permeability | 1.00 | Slope | 1.00 |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 0.96 |
| | | Slope | 0.16 | Seepage | 0.53 |
| MnD: | | | | | |
| Miami----- | 100 | Very limited | | Very limited | |
| | | Restricted | 1.00 | Slope | 1.00 |

| | | | | | |
|------------|-----|----------------|------|----------------|------|
| | | permeability | | | |
| | | Slope | 1.00 | Seepage | 0.53 |
| MsC3: | | | | | |
| Miami----- | 100 | Very limited | | Very limited | |
| | | Restricted | 1.00 | Slope | 1.00 |
| | | permeability | | | |
| | | Depth to | 1.00 | Depth to | 0.96 |
| | | saturated zone | | saturated zone | |
| | | Slope | 0.16 | Seepage | 0.53 |
| MsD3: | | | | | |
| Miami----- | 100 | Very limited | | Very limited | |
| | | Restricted | 1.00 | Slope | 1.00 |
| | | permeability | | | |
| | | Slope | 1.00 | Seepage | 0.53 |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Septic tank absorption fields | | Sewage lagoons | |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value |
| MtB: | | | | | |
| Miami----- | 60 | Very limited | | Somewhat limited | |
| | | Restricted | 1.00 | Depth to | 0.96 |
| | | permeability | | saturated zone | |
| | | Depth to | 1.00 | Seepage | 0.53 |
| | | saturated zone | | | |
| | | | | Slope | 0.33 |
| Crosby----- | 30 | Very limited | | Somewhat limited | |
| | | Restricted | 1.00 | Slope | 0.01 |
| | | permeability | | | |
| | | Depth to | 1.00 | | |
| | | saturated zone | | | |
| MwA: | | | | | |
| Miami----- | 60 | Very limited | | Somewhat limited | |
| | | Restricted | 1.00 | Seepage | 0.53 |
| | | permeability | | | |
| Martinsville----- | 40 | Somewhat limited | | Very limited | |
| | | Restricted | 0.46 | Seepage | 1.00 |
| | | permeability | | | |
| Mx: | | | | | |
| Milford----- | 90 | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | |
| | | Restricted | 1.00 | | |
| | | permeability | | | |
| OcA: | | | | | |
| Ockley----- | 85 | Very limited | | Very limited | |
| | | Filtering | 1.00 | Seepage | 1.00 |

| | | | | | |
|-------------|-----|----------------|------|----------------|------|
| | | capacity | | | |
| | | Restricted | 0.46 | | |
| | | permeability | | | |
| OcB: | | | | | |
| Ockley----- | 100 | Very limited | | Very limited | |
| | | Filtering | 1.00 | Seepage | 1.00 |
| | | capacity | | | |
| | | Restricted | 0.46 | Slope | 0.09 |
| | | permeability | | | |
| Pc: | | | | | |
| Palms----- | 100 | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | |
| | | Subsidence | 1.00 | Content of | 1.00 |
| | | | | organic matter | |
| | | Restricted | 0.72 | Seepage | 0.28 |
| | | permeability | | | |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Septic tank absorption fields | | Sewage lagoons | |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value |
| PgB: | | | | | |
| Parr----- | 90 | Very limited | | Somewhat limited | |
| | | Restricted | 1.00 | Depth to | 0.96 |
| | | permeability | | saturated zone | |
| | | Depth to | 1.00 | Seepage | 0.53 |
| | | saturated zone | | | |
| | | | | Slope | 0.33 |
| Pn: | | | | | |
| Patton----- | 100 | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | |
| | | Restricted | 1.00 | Seepage | 0.53 |
| | | permeability | | | |
| Pr: | | | | | |
| Pits----- | 100 | Not rated | | Not rated | |
| PtA: | | | | | |
| Proctor----- | 100 | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | |
| | | Restricted | 0.46 | Seepage | 0.53 |
| | | permeability | | | |
| Ra: | | | | | |
| Ragsdale----- | 100 | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | |

| | | | | | |
|----------------|-----|-------------------------|------|-------------------------|------|
| | | Restricted permeability | 0.46 | Seepage | 0.53 |
| RdA: | | | | | |
| Raub----- | 90 | Very limited | | Not limited | |
| | | Restricted permeability | 1.00 | | |
| | | Depth to saturated zone | 1.00 | | |
| Re: | | | | | |
| Reesville----- | 90 | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Restricted permeability | 1.00 | Seepage | 0.53 |
| RuB: | | | | | |
| Russell----- | 100 | Very limited | | Somewhat limited | |
| | | Restricted permeability | 1.00 | Seepage | 0.53 |
| | | Depth to saturated zone | 0.65 | Slope | 0.09 |
| | | | | Depth to saturated zone | 0.02 |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Septic tank absorption fields | | Sewage lagoons | |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Sa: | | | | | |
| Sable----- | 100 | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Restricted permeability | 1.00 | Seepage | 0.53 |
| Sc: | | | | | |
| Drummer----- | 50 | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Restricted permeability | 0.46 | Seepage | 0.53 |
| Sable----- | 50 | Very limited | | Very limited | |
| | | Depth to saturated zone | 1.00 | Depth to saturated zone | 1.00 |
| | | Restricted permeability | 0.46 | Seepage | 0.53 |
| Sd: | | | | | |
| Saranac----- | 100 | Very limited | | Very limited | |
| | | Flooding | 1.00 | Flooding | 1.00 |
| | | Depth to | 1.00 | Depth to | 1.00 |

| | | | | | | |
|-------------|-----|----------------|----------------|----------------|----------------|--|
| | | | saturated zone | | saturated zone | |
| | | | Restricted | 1.00 | | |
| | | | permeability | | | |
| St: | | | | | | |
| Sleeth----- | 90 | Very limited | | Very limited | | |
| | | Depth to | 1.00 | Seepage | 1.00 | |
| | | saturated zone | | | | |
| | | Filtering | 1.00 | Depth to | 1.00 | |
| | | capacity | | saturated zone | | |
| | | Restricted | 0.46 | | | |
| | | permeability | | | | |
| Su: | | | | | | |
| Sloan----- | 100 | Very limited | | Very limited | | |
| | | Flooding | 1.00 | Flooding | 1.00 | |
| | | Depth to | 1.00 | Depth to | 1.00 | |
| | | saturated zone | | saturated zone | | |
| | | Restricted | 0.72 | Seepage | 0.28 | |
| | | permeability | | | | |
| Sx: | | | | | | |
| Starks----- | 90 | Very limited | | Very limited | | |
| | | Depth to | 1.00 | Depth to | 1.00 | |
| | | saturated zone | | saturated zone | | |
| | | Restricted | 0.46 | Seepage | 0.53 | |
| | | permeability | | | | |
| Ty: | | | | | | |
| Treaty----- | 100 | Very limited | | Very limited | | |
| | | Depth to | 1.00 | Depth to | 1.00 | |
| | | saturated zone | | saturated zone | | |
| | | Restricted | 1.00 | Seepage | 0.53 | |
| | | permeability | | | | |

Table ENG-5.--Sanitary Facilities--Continued

| Map symbol and soil name | Pct. of map unit | Septic tank absorption fields | | Sewage lagoons | |
|-----------------------------|---------------------------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating class and limiting features | Value | Rating class and limiting features | Value |
| Ud: | | | | | |
| Udorthents----- | 100 | Somewhat limited | | Very limited | |
| | | Slope | 0.84 | Slope | 1.00 |
| Wa: | | | | | |
| Wallkill----- | 100 | Very limited | | Very limited | |
| | | Flooding | 1.00 | Flooding | 1.00 |
| | | Depth to | 1.00 | Seepage | 1.00 |
| | | saturated zone | | | |
| | | Filtering | 1.00 | Depth to | 1.00 |
| | | capacity | | saturated zone | |
| | | Restricted | 0.46 | Content of | 1.00 |
| | | permeability | | organic matter | |
| We: | | | | | |

| | | | | | |
|---------------|-----|----------------|------|------------------|------|
| Westland----- | 100 | Very limited | | Very limited | |
| | | Depth to | 1.00 | Seepage | 1.00 |
| | | saturated zone | | | |
| | | Filtering | 1.00 | Depth to | 1.00 |
| | | capacity | | saturated zone | |
| | | Restricted | 0.46 | | |
| | | permeability | | | |
| Wh: | | | | | |
| Whitaker----- | 90 | Very limited | | Very limited | |
| | | Depth to | 1.00 | Depth to | 1.00 |
| | | saturated zone | | saturated zone | |
| | | Restricted | 0.46 | Seepage | 1.00 |
| | | permeability | | | |
| XeA: | | | | | |
| Xenia----- | 90 | Very limited | | Somewhat limited | |
| | | Restricted | 1.00 | Seepage | 0.53 |
| | | permeability | | | |
| | | Depth to | 1.00 | Depth to | 0.25 |
| | | saturated zone | | saturated zone | |
| XeB: | | | | | |
| Xenia----- | 90 | Very limited | | Somewhat limited | |
| | | Restricted | 1.00 | Seepage | 0.53 |
| | | permeability | | | |
| | | Depth to | 1.00 | Slope | 0.33 |
| | | saturated zone | | | |
| | | | | Depth to | 0.25 |
| | | | | saturated zone | |
| | | | | | |